

jc860 U.S. Pto
08/11/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. PRO
09/637621
08/11/00

In re Patent Application of) PARENT APPLICATION
) ASSIGNED TO GROUP
Carol J. Lovatt) ART UNIT 1754
)
For: NOVEL FORMULATION OF)
PHOSPHORUS FERTILIZER FOR)
PLANTS)
) San Francisco, California

Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

By Express Mail No: EL503486761US
Dated: August 11, 2000

CONTINUATION APPLICATION TRANSMITTAL

Sir:

This is a request for filing a continuation application under 37 C.F.R. 1.53(b) of pending prior application Serial No. 09/126,233, filed July 30, 1998, by Carol J. Lovatt, for "NOVEL FORMULATION OF PHOSPHORUS FERTILIZER FOR PLANTS."

1. Enclosed is a copy of the prior application consisting of 18 pages of the specification, 24 claims, and an abstract; and the Declaration of the inventor as originally filed. I

hereby certify that the attached papers are a true copy of prior application Serial No. 09/126,233 as originally filed on July 30, 1998, as appears in the files of the undersigned attorney, and that no amendments referred to in the oath or declaration (if any) filed to complete the prior application introduced new matter therein.

2. A preliminary amendment is enclosed.
3. Cancel in this application original claims 1-24 of the prior application.
4. The filing fee is calculated to be \$345.00, a check for which is enclosed. The

Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment, to Deposit Account No. 13-1030. A duplicate copy of this sheet is enclosed.

5. A statement to establish small entity status was filed in the prior application and such status is still proper and desired.

6. Amend the specification by inserting on page one, before the first line, the sentence, --This is a continuation of Application Serial No. 09/126,233, filed July 30, 1998, which is a continuation of Application Serial No. 08/642,574, filed May 3, 1996, now U.S. Patent 5,830,255, re-examined as B1 5,830,255 (certificate issued July 11, 2000), which is a continuation of Application Serial No. 08/192,508, filed February 7, 1994, now U.S. Patent 5,514,200.--

7. The prior application is assigned of record to The Regents of the University of California.

8. The Power of Attorney appearing in the prior application is to the Customer Number provided below.

9. Address all future communications to:

Customer No:




020227

PATENT TRADEMARK OFFICE

Dated: August 11, 2000.

Docket No.: 2500.096US8

A handwritten signature in black ink, appearing to read "Suzanne Siebert".

J. Suzanne Siebert, Reg. No. 28,758
MAJESTIC, PARSONS, SIEBERT & HSUE P.C.
Four Embarcadero Center, Suite 1100
San Francisco, California 94111-4106

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of) PARENT APPLICATION
) ASSIGNED TO GROUP
 Carol J. Lovatt) ART UNIT 1754
)
 For: NOVEL FORMULATION OF)
 PHOSPHORUS FERTILIZER FOR)
 PLANTS)
 _____) San Francisco, California

Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

By Express Mail No: EL503486761US
Dated: August 11, 2000

PRELIMINARY AMENDMENT

Sir:

Please enter this preliminary amendment for the continuation application filed under 37 C.F.R. 1.53(b) of pending prior application Serial No. 09/126,233, filed July 30, 1998, by Carol J. Lovatt, for "NOVEL FORMULATION OF PHOSPHORUS FERTILIZER FOR PLANTS," which is being filed concurrently herewith.

In the Claims:

Please cancel claims 1-24.

Please add new claims 25-30 as follows:

-- 25. A concentrated phosphorus fertilizer for irrigation application, said fertilizer comprising a buffered composition comprising a phosphorous-containing acid selected from the group consisting of phosphorous acid, hypophosphorous acid, polyphosphorous acid, polyhypophosphorous acid and salts thereof, wherein said phosphorous-containing acid or salt thereof is present in an amount of about 30 weight percent or greater, said composition having a pH less than about 2.5.--

-- 26. The phosphorus fertilizer of claim 25 having a pH of less than about 1.5.--

-- 27. The concentrated phosphorus fertilizer as in claim 25 wherein said phosphorous-containing acid or salt thereof is present in amount of about 30 weight percent to about 46 weight percent.--

-- 28. A method of providing phosphorus to a plant comprising distributing a liquid concentrated phosphorus fertilizer comprising a buffered composition comprising a phosphorous-containing acid selected from the group consisting of phosphorous acid, hypophosphorous acid, polyphosphorous acid, polyhypophosphorous acid and salts thereof, wherein said phosphorous-containing acid or salt thereof is present in an amount of about 30 weight percent or greater, through

an irrigation system and delivering said fertilizer to soil near said plant, said fertilizer having a pH less than about 2.5.--

-- 29. The method of claim 28 wherein said fertilizer has a pH less than about 1.5.--

-- 30. The method as in claim 28 wherein said phosphorous-containing acid or salt thereof is present in an amount about 30 weight percent to about 46 weight percent.--

Dated: August 11, 2000.

Respectfully submitted,

By: 
J. Suzanne Siebert, Reg. No. 28,758
MAJESTIC, PARSONS, SIEBERT & HSUE P.C.
Four Embarcadero Center, Suite 1100
San Francisco, California 94111-4106
Telephone: (415) 248-5500
Facsimile: (415) 362-5418

Atty. Docket: 2500.096US8

A NOVEL FORMULATION OF PHOSPHORUS FERTILIZER FOR PLANTS

Background of the Invention

Fertilizers are added to the soil of crops or in some cases they can be applied directly to crop foliage to supply elements needed for plant nutrition.

5 Seventeen elements are known to be essential to the health and growth of plants. Typically, nitrogen, phosphorus, and potassium are provided in the greatest quantity. With increasing knowledge of the role of each of the nutrients essential to plants, there is a better understanding of the importance of providing a given nutrient at the appropriate stage of 10 phenology. To accomplish this, rapid changes in fertilizer formulations and methods of application have been necessary.

Another factor changing fertilization formulations and methods is due to pressure from federal, state and local regulatory agencies and citizen groups to reduce the total amount of fertilizer in general, and of specific nutrients

15 in particular, being applied to the soil. Additionally, the loss of registration of existing synthetic plant growth regulators and organic pesticides and the prohibitively high costs involved in the successful registration of new ones, also plays a role in the changing arena of crop fertilization.

The principal source of phosphorus for the fertilizer industry is derived from 20 the ores of phosphorus-containing minerals found in the Earth's crust, termed phosphate rock. Elemental phosphorus does not exist in nature; plants utilize phosphorus as the dihydrogen phosphate ion ($H_2PO_4^-$). While untreated phosphate rock has been used for fertilizer, it is most commonly

acidulated with dilute solutions of strong mineral acids to form phosphoric acid, which is more readily absorbed by crops.

Until recently, phosphate and polyphosphate compounds were considered the only forms in which phosphorus could be supplied to plants to meet the 5 plant's nutritional need for phosphorus. Indeed, the only phosphite compound cited for use as a fertilizer in the Merck Index (M. Windhols, ed., 1983, 10th edition, p.1678) is calcium phosphite (CaHPO_3). No phosphite fertilizer formulations are listed in The Farm Chemical Handbook (Meister Publishing Co., 1993, Willoughby, OH 834 p.) or Western Fertilizer 10 Handbook (The Interstate, Danville, IL 288 p.) Historically, calcium phosphite was formed as a putative contaminant in the synthesis of calcium superphosphate fertilizers [McIntyre et al., Agron. J. **42**:543-549 (1950)] and in one case, was demonstrated to cause injury to corn [Lucas et al., Agron. J. **71**:1063-1065 (1979)]. Consequently, phosphite was relegated 15 for use only as a fungicide (Allite®; U.S. Pat. No. 4,075,324) and as a food preservative.

More recently, it has been shown that plants can obtain phosphorus from phosphite [Lovatt, C. J., March 22, 1990, "Foliar phosphorus fertilization of citrus by foliar application of phosphite" In: Citrus Research Advisory 20 Committee (eds) Summary of Citrus Research, University of California, Riverside, CA pp 25-26; Anon., May, 1990, "Foliar applications do double duty" In: L. Robison (ed) Citograph Vol. 75, No. 7, p 161; Lovatt, C. J., 1990, "A definitive test to determine whether phosphite fertilization can replace phosphate fertilization to supply P in the metabolism of 'Hass' on 25 'Duke 7': - A preliminary report" California Avocado Society Yearbook 74:61-64; Lovatt, C. J., 1992]. Formulations based on phosphorous acid and hypophosphorous acid, as phosphite is, generally undergo oxidation to phosphate and thus lose the benefits that could be derived from the use of phosphite fertilization applications.

30 The phosphate and polyphosphate fertilizers currently used have a number

of properties that compromise their desirability as fertilizers. Generally, they tend to form precipitates during storage and shipping. This limits the ability to formulate concentrated solutions of fertilizers. Additionally, formulations must generally be maintained at a narrow pH range to prevent precipitation,

5 resulting in fertilizers that are limited to particular uses.

Another drawback of phosphate fertilizers is that they are not readily taken up by the foliage of many plants and must instead be delivered to the soil for uptake by plant roots. The mobility of phosphate fertilizers in the soil is limited leading to rapid localized depletion of phosphorus in the rhizosphere

10 and phosphorus deficiency of the plant. Frequent reapplication of phosphate fertilizers is undesirable because it leads to leaching of phosphate into the groundwater resulting in eutrophication of lakes, ponds and streams.

Phosphate and polyphosphate fertilizers have also been shown to inhibit the beneficial symbiosis between the roots of the plants and mycorrhizal fungi.

15 They tend to support the growth of algae and promote bacterial and fungal growth in the rhizosphere, including the growth of pathogenic fungi and other soil-borne pests.

Even though phosphorus, once in the plant, is very phloem mobile (i.e. readily moving from old leaves to young tissues), phosphate is poorly

20 absorbed through the leaves of most plant species. This is unfortunate because successful foliar phosphorus feeding would result in the application of less phosphate fertilizers to the soil and reduce phosphorus pollution of the ground water.

Accordingly, there is a need for a phosphorus fertilizer that can be utilized in

25 irrigation systems and applied to foliage without the formation of precipitates that reduce nutrient availability and uptake by the plant and plug emitters and sprayers. There is also a need for new methods of fertilizer application that allow nutrients in a readily available form to be supplied at the exact time the plant needs them. This need includes the facility of a foliar product

30 to be sold in a single formulation for use as a concentrated material for

airplane or helicopter application or as a dilute solution for ground spray application and yet able to be maintained at a suitable pH range optimal for leaf uptake despite the need to be diluted prior to application.

Additionally, there is a demand for phosphorus fertilizers that have the
5 facility to be used as liquids or solids (granule or powder). There is also a
demand for fertilizers that do more than just supply nutrients. It is desired
that the fertilizers also have demonstrated plant growth regulator activity,
increase the plants' resistance to pests, promote plant health in general and
root health in particular, increase the production of allelopathic compounds,
10 increase pre- and post-harvest quality, improve stress tolerance, enhance
beneficial symbioses, and improve yield over existing traditional soil or foliar
fertilizers.

Summary of the Invention

Given the above-mentioned deficiencies and demands of fertilizers in general,
15 and of phosphorus fertilizers in particular, it is an object of the present
invention to provide phosphorus to plants in a formulation that renders
phosphorus readily available to the plants under a number of application
methods such as through soil, foliar uptake, irrigation, and other methods.
20 It is also an object that the phosphorus fertilizer formulations be conveniently
formulated in concentrated solutions that are stable during storage and
shipping.

Another object of the present invention is to provide a phosphorus fertilizer
that is not as inhibitory to mycorrhizal fungi as traditional phosphate
25 fertilizers.

It is a further object of the present invention to provide a phosphorus
fertilizer that does not support the growth of algae to the same degree that
traditional phosphate fertilizers do.

Additional objects and features of the invention will be apparent to those skilled in the art from the following detailed description and appended claims.

The above objects and features are accomplished by a concentrated phosphorus fertilizer comprising a buffered composition comprising an organic acid and salts thereof and a phosphorous-containing acid and salts thereof. The concentrated phosphorus fertilizer can be diluted with water of pH ranging from about 6.5 to about 8.5 at ratios of concentrate to water at about 1:40 to about 1:600 to result in a fully solubilized fertilizer having a pH in a range acceptable for foliar uptake of phosphorus.

5 10 15 20

- 10 In one embodiment, the phosphorous-containing acid is selected from the group consisting of phosphorous acid, hypophosphorous acid, polyphosphorous acid, and polyhypophosphorous acid and the organic acid is preferably selected from the group consisting of dicarboxylic acids and tricarboxylic acids such as citrate.
- 15 In one embodiment, the concentrated phosphorus fertilizer is an essentially clear liquid devoid of precipitate that can be diluted at a ratio of about 1:40 to about 1:600 with water having pH of about 6.5 to about 8.5, to result in a fertilizer having a pH of about 5.0 to about 7.0, and more preferably from about 5.5 to about 6.5, to facilitate the uptake of phosphorus by a variety 20 of plants.

A method of providing phosphorus to plants is also disclosed. The method comprises diluting a concentrated phosphorus fertilizer comprising a buffered composition comprising an organic acid and salts thereof and a phosphorous-containing acid and salts thereof with water to form a substantially fully 25 solubilized use-dilution fertilizer having a pH in a range acceptable for foliar uptake of phosphorus, and applying the fertilizer to the plant foliage.

Detailed Description of the Invention

The present invention provides phosphorus fertilizers essentially devoid of

phosphate. The fertilizer comprises a double or multiple buffer system of organic acids and their salts with a phosphorous-containing acids and their salts. The formulation stabilizes the phosphorous against oxidation to phosphate. Suitable phosphorous-containing acids are phosphorous acid and

5 polyphosphorous acid, based generally on the formula H_3PO_3 , and hypophosphorous acid and polyhypophosphorous acid, based generally on the formula H_3PO_2 . Phosphite, the salt of phosphorous acid, has properties that are known to be beneficial to crop production. It is taken up through the foliage of avocado and citrus, two species which classically do not take

10 up phosphate through their foliage. Phosphite has fungicidal properties with regard to some species of pathogenic fungi: *Rhizoctonia solani*, *Botrytis cinerea*, *Piricularia oryzae*, *Plasmopora viticola*, *Phytophthora cinnamomi*, and *Phytophthora parasitica*. Recently, it has been demonstrated that phosphite also serves as a source of metabolically active phosphorus in plants. The

15 properties of phosphite that make it desirable as a fertilizer are enhanced when it is formulated according to the present invention as a double or multiple buffer with phosphorous acid, hypophosphorous acid, polyphosphorous acid and/or polyhypophosphorous acid and their respective salts and organic acids and their salts per this invention.

20 Suitable organic acids have the formula $R-COOH$ or $R-COO^-$ where R is hydrogen or a carbon-containing molecule or group of molecules. Suitable organic acids are those that maintain the phosphite ion in a substantially fully solubilized form upon dilution with water at pH varying from about 6.5 to about 8.5 and that result in a use-dilution fertilizer having a foliage-acceptable pH for phosphorus uptake. Preferred organic acids are dicarboxylic and tricarboxylic acids.

25

By the term "substantially fully solubilized" it is meant that upon dilution, the phosphite does not precipitate, or at least not appreciably, so as to affect administration of the liquid product to the plant foliage, and thus is in a form

30 available to the plant. With present phosphite fertilizers, there is a tendency for phosphite to precipitate if diluted with alkaline water, thereby rendering

the phosphite in a form that is unavailable to the plant for uptake. By the term "foliage-acceptable pH for phosphorus uptake", it is meant a pH that allows phosphorus to be absorbed by the plant without causing damage to the foliage. A foliage-acceptable pH for phosphorus uptake usually ranges

- 5 between about 5.0 to about 7.0, and preferably between about 5.5 to about 6.5. Phosphorus is most readily taken up by foliage at pH 6.0. Depending on the plant species, a pH below 5.0 can cause damage to leaves and/or the flowers and/or fruit. At higher pH, between about 7.0 to about 7.5, there is reduced uptake of nutrients, although generally there is no plant damage.
- 10 A pH between about 7.5 and 8.0, depending on the plant species, plant damage may result. A pH greater than 8.0, generally causes damage to the plant in addition to reducing uptake of the nutrients. Accordingly, suitable organic acids are those that help provide a "buffered composition" having the desired pH range. This means that a "use-dilution fertilizer" having an
- 15 acidic to neutral pH (pH 5.0 to 7.0) can be achieved upon high dilutions (up to about 1/600) of the concentrated fertilizer with highly alkaline water (up to a pH of about 8.5).

Organic acids that meet this criteria include but not limited to intermediates in the Kreb's Tricarboxylic Acid Cycle, amino acids such as glutamic acid and

- 20 aspartic acid, vitamin acids such as ascorbic acid and folic acid, and their respective salts. Particularly preferred organic acids are dicarboxylic and tricarboxylic acids selected from the group consisting of citrate, pyruvate, succinate, fumarate, malate, formate, oxaloacetate, citrate, cis-aconitate, isocitrate, and α -ketoglutarate. Citrate is a particularly preferred organic acid
- 25 because of it is relatively inexpensive and readily available.

These formulations allow the maintenance of continued solubility, and thus availability for uptake by plants, of phosphorus, with or without other nutrients, over a significantly wide range of concentrations and pHs. The increased solubility of these formulation over that of phosphate or phosphite

- 30 fertilizers makes it possible to prepare fertilizers with a greater concentration of phosphorus per unit volume than traditional phosphate or polyphosphate

fertilizers or the simple unbuffered salts of phosphorous acid recently being marketed as fertilizers for foliar application which are available as super saturated solutions with only about 16% phosphite, and which are diluted approximately 1:100 to about 1:300. The resulting pH of these fertilizers

5 varies significantly depending upon the pH of the water used, thus affecting the availability of the nutrients for foliar uptake. In contrast, the highly concentrated fertilizers of the present invention, which can be diluted with water at a ratio of about 1:600, allow for more cost effective shipping, handling, and application. They result in greater uptake of phosphorus by

10 the canopy of plants than traditional phosphate or recent phosphite fertilizers not formulated in this manner.

The formulations provided herein also make it possible to formulate various combinations of other essential plant nutrients or other inorganic or organic compounds as desired and maintain their solubility when used over a wide

15 range of concentrations and pHs, which is not possible for present phosphate or phosphite fertilizers. For example, boron, manganese, calcium, iron and other elements can be provided at relatively high concentrations in these formulations. Thus, these phosphorus fertilizers also enhance the canopy uptake of other mineral nutrients essential to plants. They can be

20 used as a canopy application to improve pre- and post-harvest crop quality.

Formulations can also be prepared with copper. However, when high concentrations of copper are used, the copper is not fully solubilized. In this situation, the insoluble copper is desirable as it prevents rapid uptake of the copper and thus minimizes the potential for copper toxicity. As the insoluble

25 copper is rewetted over night by dew, dissolution occurs so that additional copper is taken up. The buffering capacity of the formulation maintains the pH at a foliage-acceptable pH when the insoluble copper is rewetted so that conditions are optimal for uptake and are benign to the plant tissues. While copper is an element essential to plants, it is required in only small amounts.

30 In relation to nitrogen, plants require, in general, 10,000- to 75,000-fold less

copper. Provided to the foliage of the plant at the rate provided by this formulation, copper is a very effective fungicide, in addition to being a plant nutrient and fertilizer.

In addition to the above-mentioned advantages, the formulations disclosed

- 5 have a direct benefit to the environment. Because the formulations allow successful foliar feeding of phosphorus to a number of plants that do not effectively take up phosphorus when supplied in phosphate or polyphosphate forms, and because these formulations enhance the uptake of other nutrients, they are cost-effective and can replace less efficient, traditional
- 10 soil-feeding methods. This results in reducing phosphate pollution of the groundwater and eutrophication of freshwater ponds, lakes and streams.

The phosphorus fertilizers disclosed herein can also be advantageously applied through the soil or by irrigation systems as solid (granular) or liquid formulations. These formulations can be used at pHs sufficiently low to

- 15 clean irrigation lines and alter the pH of the soil to solve alkalinity problems while supplying essential nutrients to plants. Example 2, below discloses a suitable formulation for irrigation application. With irrigation application, the fertilizer flowing through the irrigation system will typically have a pH lower than about 2.5, usually less than about pH 1.5. The low pH is designed to
- 20 supply phosphorus while killing bacteria and algae (slime) which plug irrigation lines, thus cleaning the lines. The low pH also dissolves calcium carbonate deposits at and around the emitters, and solubilizes the calcium carbonate so Ca^{2+} is available to the plant. Once delivered to the soil near the plant, sufficient water is applied to achieve a pH suitable for phosphorus
- 25 uptake by the plant. The form in which the phosphorus is supplied in these formulations is more mobile than phosphate fertilizers or than the simple salts of phosphorous acid recently being sold as fertilizers, and thus more available and more readily taken up by the roots of plants. An advantage of these formulations is that the form in which phosphorus is supplied does not
- 30 inhibit the development of mycorrhizal fungi to the same degree that traditional phosphate fertilizers do. The present compositions can also be

formulated with certain nutrients in addition to phosphorus that are readily absorbed through soil applications at pH of about 5.5 to about 7.0. Such nutrients include nitrogen, calcium, magnesium, potassium, molybdenum, boron, and sulfur.

- 5 Another advantage with the phosphorus fertilizers disclosed herein is that they do not support the growth of green algae to the same degree that traditional phosphate fertilizers do. This is of significant importance to agriculture, commercial nurseries, the ornamental and cut flower industry, and the home and garden industry, as it will prevent the growth of green
- 10 algae which typically proliferate and plug irrigation emitters, foul pots and benches, and provide a niche for the growth of pathogenic bacteria and fungi. These formulations also endow the phosphorus fertilizer with anti-viral, anti-bacterial and anti-fungal activity. This bacterialcidal activity in a phosphorus fertilizer makes it possible to use this fertilizer to inhibit
- 15 ice-nucleating bacteria to thus protect plants from frost damage.

Methods of Preparation

The phosphorus fertilizers are prepared by first forming solutions of the phosphorous and organic acids. Other desired nutrients can then be added with constant stirring. The amount of phosphorous relative to organic acid

- 20 is not critical, as long as appropriate buffering and solubility are achieved. Generally the amount of organic acid that is added will depend upon the form in which the nutrient elements are added. For example, if calcium is to be added in the form of calcium hydroxide (a base), then the acid form of the organic acid, for example citric acid, would be used rather than its salt, citrate. In addition to the desired nutrients, other additives, that are known in the fertilizer industry, can be added. These include, for example, wetting-agents, surfactants, spreaders, stickers etc., and are described in The Farm Chemical Handbook, supra (incorporated herein by reference). The fertilizer compositions can also be prepared as solid formulations, identical to the
- 25 liquid ones by simply leaving out all of the water. The properties are the same as the liquid formulations but have the additional advantage of
- 30

weighing less for the same amount of nutrient.

Methods of Application

The fertilizer is applied according to crop-specific recommendations which will depend upon the application method (foliar, soil, irrigation, etc.), time of application, rate of application, and product formulation. Crops that will benefit from the fertilizer include, but are not limited to, avocado, citrus, mango, coffee, deciduous tree crops, grapes and other berry crops, soybean and other commercial beans, corn, tomato, cucurbits and cucumis species, lettuce, potato, sugar beets, peppers, sugarcane, hops, tobacco, pineapple, coconut palm and other commercial and ornamental palms, hevea rubber, and ornamental plants.

In addition to the foliar, soil, and irrigation application methods mentioned above, the present fertilizer may prove beneficial to certain crops through other application methods. For example, trunk paints or other methodologies may provide for a continuous low supply of fertilizers, such as, for example, "intravenous" feeding as practiced in the boron nutrition of soybeans.

In order that the invention described herein may be more fully understood, the following examples are set forth. All chemicals used were of analytical reagent quality and approximately 100% by weight unless otherwise specified. All formulations are expressed in terms of weight to volume. It should be understood that these examples are for illustrative purposes only and are not to be construed as limiting the scope of the invention in any manner.

Example 1

A formulation was prepared of 1 gallon of 0-40-0 fertilizer with 3.86 lbs H_3PO_4 , 1.34 lbs tripotassium citrate, 1.34 lbs of trisodium citrate, and 4.0 lbs of 58% ammonium hydroxide. The components were dissolved in water with constant stirring. This single formulation can be used at a rate of 2 quarts in as little as 20 gallons of water of pH 6.5 to 8.5 up to 300 gallons

of water of pH 6.5 to 8.5 and maintain a pH between 5.5 to 6.5 without the formation of any precipitate.

Example 2

5 A formulation was prepared of 1 gallon of 0-40-0 fertilizer with 3.86 lbs H_3PO_3 and 0.5 lbs citric acid. This formulation is stable at pH 1.0 or less and is designed for application through the irrigation system. It is stable against oxidation and precipitation when supplied through the irrigation water.

Example 3

10 10 A formulation was prepared of 1 gallon of 0-30-0 fertilizer with 74.89% elemental boron with 2.89 lbs H_3PO_3 , 28.67 lbs borax ($Na_2B_4O_7 \cdot 10 H_2O$), 17.16 lbs boric acid (H_3BO_3), 1.54 lbs H_2SO_4 and 2.67 lbs citric acid. A solution of the phosphorous and citric acid was first prepared, then the other elements were added with constant stirring. This formulation can be used

15 15 at the rate of 2 quarts in as little as 20 gallons of water of pH between 6.5 to 8.5 up to 300 gallons of water of pH 6.5 to 8.5 and maintain a pH between 5.5 to 6.5 without the formation of any precipitate.

Example 4

20 20 A formulation was prepared of 1 gallon of 0-30-0 fertilizer with 21.57% Zn and 23.22% Mn with 2.89 lbs of H_3PO_3 , 7.92 lbs $ZnSO_4$, 7.16 lbs $Mn(H_2PO_4)_2 \cdot H_2O$, 0.61 lbs citric acid and 0.87 lbs 58% NH_4OH . This formulation can be used at the rate of two quarts in as little as 20 gallons of water of pH between 6.5 to 8.5 up to 300 gallons of water of pH between 6.5 to 8.5 and maintain a pH between 5.5 to 6.5 without the formation of any precipitate.

Example 5

A formulation was prepared of 1 gallon of 0-30-0 fertilizer with 5.4% Ca. It was packaged in a two-container system where 1 gallon of solution A contained 2.89 lbs H_3PO_3 , 0.68 lbs $Ca(OH)_2$, and 0.28 lbs citric acid, and 1

gallon of solution B contained 0.16 lbs $\text{Ca}(\text{OH})_2$, 0.60 lbs KOH, 3.34 lbs 58% NH_4OH , 0.28 lbs citric acid, and 0.67 lbs EDTA (ethylenediaminetetraacetic acid). Two quarts of solution A can be added to as little as 20 gallons of water of pH between 6.5 to 8.5 up to 300

5 gallons of water of pH between 6.5 to 8.5 followed by the addition of two quarts of solution B. The final solution is between pH 5.5 to 6.5 and without precipitation.

A formulation of 1 gallon of 0-30-0 fertilizer with 4.32% Ca can be made without requiring EDTA. This formulation is also packaged in a

10 two-container system where 1 gallon of solution A contains 2.89 lbs H_3PO_4 , 0.67 lbs $\text{Ca}(\text{OH})_2$ and 0.28 lbs of citric acid, while 1 gallon of solution B contains 2.67 lbs of 58% NH_4OH , 0.6 lbs KOH. Two quarts of solution A can be added to as little as 20 gallons of water of pH between 6.5 to 8.5 up to 300 gallons of water of pH between 6.5 and 8.5 followed by the addition

15 of two quarts of solution B. The final pH of the solution is between 5.5 and 6.5 and without precipitation.

Example 6

A formulation was prepared of 1 gallon of 0-30-30 fertilizer with 2.89 lbs H_3PO_4 , 2.99 lbs KOH, and 0.84 lbs citric acid. Two quarts can be added to

20 as little as 20 gallons of water of pH between 6.5 to 8.5 and up to 300 gallons of water of pH between 6.5 and 8.5. The pH of the final solution is between 5.5 and 6.5 without precipitation.

Example 7

A formulation was prepared of 1 gallon of 0-30-0 fertilizer having 4.8% iron

25 with 2.89 H_3PO_4 , 1.75 lbs iron-citrate, 0.74 lbs KOH, 0.62 lbs NaOH, and 2.00 lbs of 58% NH_4OH . Two quarts of the formulation can be added to as little as 20 gallons of water pH 6.5 to 8.5 and up to 300 gallons of water of pH 6.5 to 8.5. The pH of the final solution is between 5.5 to 6.7 without precipitation.

Example 8

A formulation was prepared of 1 gallon of 0-30-0 fertilizer having 23.22% manganese with 2.89 H_3PO_3 , 7.16 lbs. $Mn(H_2PO_2)_2$, and 0.133 lbs. sodium citrate. Two quarts of the formulation can be added to as little as 20 gallons of water pH 6.5 to 8.5 and up to 300 gallons of water of pH 6.5 to 8.5. The pH of the final solution is between 5.5 to 6.5 without precipitation.

Example 9

A formulation was prepared of 1 gallon of 0-30-0 fertilizer having 57% copper with 2.89 H_3PO_3 , 7.3 lbs $\text{Cu}(\text{OH})_2$ (57% Cu), and 1.34 lbs of 58% NH_4OH . Two quarts can be added to as little as 20 gallons of water of pH 6.5 to 8.5 up to 300 gallons of water of pH 6.5 to 8.5. The pH of the final solution is between 5.5 to 6.5. The copper is not fully soluble, however this is desirable in that it prevents the rapid uptake of copper when applied to plant foliage.

WHAT IS CLAIMED IS:

1. A concentrated phosphorus fertilizer comprising a buffered composition comprising an organic acid and salts thereof and a phosphorous-containing acid and salts thereof, such that when said composition is diluted 5 with water, there is formed a substantially fully solubilized use-dilution fertilizer having a foliage-acceptable pH for phosphorus uptake.
2. The phosphorus fertilizer of claim 1 wherein said phosphorous-containing acid is selected from the group consisting of phosphorous acid, hypophosphorous acid, polyphosphorous acid, and polyhypophosphorous 10 acid.
3. The phosphorus fertilizer of claim 1 wherein said organic acid is selected from the group consisting of dicarboxylic acids and tricarboxylic acids.
4. The phosphorus fertilizer of claim 3 wherein said organic acid is 15 citrate.
5. The phosphorus fertilizer of claim 1 wherein said use-dilution fertilizer has a pH of about 5.0 to about 7.0.
6. The phosphorus fertilizer of claim 1 wherein said use-dilution fertilizer has a pH of about 5.5 to about 6.5.
- 20 7. The phosphorus fertilizer of claim 1 wherein said water has a pH of about 6.5 to about 8.5.
8. The phosphorus fertilizer of claim 1 that is essentially clear and devoid of precipitate.
9. The phosphorus fertilizer of claim 1 wherein said use-dilution fertilizer 25 comprises a ratio of said concentrated phosphorus fertilizer to said water of

about 1: 40 to about 1:600.

10. The phosphorus fertilizer of claim 1 wherein said phosphorous-containing acid is present in an amount of about 30 to about 40 weight percent.

5 11. A concentrated phosphorus fertilizer comprising a buffered composition comprising an organic acid and salts thereof, a phosphorous-containing acid and salts thereof, and copper, such that when said composition is diluted with water, there is formed a use-dilution fertilizer having a foliage-acceptable pH for phosphorus uptake.

10 12. A concentrated phosphorus fertilizer for irrigation application, said fertilizer comprising a buffered composition comprising an organic acid and salts thereof and a phosphorous-containing acid and salts thereof, said composition having a pH less than about 2.5.

15 13. The phosphorus fertilizer of claim 12 having a pH of less than about 1.5.

14. A method of providing phosphorus to a plant comprising diluting a concentrated phosphorus fertilizer comprising a buffered composition comprising an organic acid and salts thereof and a phosphorous-containing acid and salts thereof with water to form a substantially fully solubilized use-
20 dilution fertilizer having a foliage-acceptable pH for phosphorus uptake, and applying said use-dilution fertilizer to the foliage of said plant.

15. The method of claim 14 wherein said phosphorous-containing acid is selected from the group consisting of phosphorous acid, hypophosphorous acid, polyphosphorous acid, and polyhypophosphorous acid.

25 16. The method of claim 14 wherein said organic acid is selected from the group consisting of dicarboxylic acids and tricarboxylic acids.

17. The method of claim 16 wherein said organic acid is citrate.
18. The method of claim 14 wherein said water has a pH of about 6.5 to about 8.5.
19. The method of claim 14 wherein said use-dilution fertilizer comprises 5 a ratio of said concentrated phosphorus fertilizer to said water of about 1:40 to about 1:600.
20. The method of claim 14 wherein said use-dilution fertilizer has a pH of about 5.0 to about 7.0.
21. The method of claim 14 wherein said use-dilution fertilizer has a pH 10 of about 5.5 to about 6.5.
22. The method of claim 14 wherein said plant is a citrus or avocado plant.
23. A method of providing phosphorus to a plant comprising distributing a liquid concentrated phosphorus fertilizer comprising a buffered composition 15 comprising an organic acid and salts thereof and a phosphorous-containing acid and salts thereof through an irrigation system and delivering said fertilizer to soil near said plant, said fertilizer having a pH less than about 2.5.
24. The method of claim 23 wherein said fertilizer has a pH of less than 20 about 1.5.

ABSTRACT

Concentrated phosphorus fertilizers are disclosed that comprise a buffered composition of an organic acid and salts thereof and a phosphorous-containing acid and salts thereof. The concentrated phosphorus fertilizers 5 can be diluted with water of pH ranging from about 6.5 to about 8.5 at ratios of concentrate to water at about 1:40 to about 1:600 to result in a fertilizer having a pH in the range acceptable for foliar uptake of phosphorus.

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled A NOVEL FORMULATION OF PHOSPHORUS FERTILIZER FOR PLANTS, the specification of which

(check one) is attached hereto.

was filed on 7 February 1994 as
Application Serial No. 08/192,508
and was amended on _____.

(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Patent Office all information known to me to be material to patentability as defined in 37 C.F.R. 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
(Number)	(Country)	(Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Patent Office all information known to me to be material to patentability as defined in 37 C.F.R. 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.) (Filing Date) (Status)
(patented, pending, abandoned)

(Application Serial No.) (Filing Date) (Status)
(patented, pending, abandoned)

I hereby appoint the following attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Harold C. Hohbach, Reg. No. 17,757; Aldo J. Test, Reg. No. 18,048; Thomas O. Herbert, Reg. No. 18,612; Donald N. Macintosh, Reg. No. 20,316; Jerry G. Wright, Reg. No. 20,165; Edward S. Wright, Reg. No. 24,903; David J. Brezner, Reg. No. 24,774; Richard E. Backus, Reg. No. 22,701; James A. Sheridan, Reg. No. 25,435; Robert B. Chickering, Reg. No. 24,286; Gary S. Williams, Reg. No. 31,066; Richard F. Trecartin, Reg. No. 31,801; C. Michael Zimmerman, Reg. No. 20,451; Walter H. Dreger, Reg. No. 24,190; Steven F. Caserza, Reg. No. 29,780; Jan P. Brunelle, Reg. No. 35,081

provided that if any one of said attorneys ceases being affiliated with the law firm of Flehr, Hohbach, Test, Albritton & Herbert as partner, employee or of counsel, such attorney's appointment as attorney and all powers derived therefrom shall terminate on the date such attorney ceases being so affiliated.

Direct all telephone calls to Walter H. Dreger at (415) 781-1989.

Address all correspondence to:

FLEHR, HOHBACK, TEST,
ALBRITTON & HERBERT
Suite 3400, Four Embarcadero Center
San Francisco, California 94111

File No. A-58141/WHD

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, §1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or
first inventor:

Carol J. LOVATT

Inventor's signature: X

Carol J. Lovatt Carol J. Lovatt

Date:

X 2 May 1994

Residence:

X Riverside, CA 92506

Citizenship:

X United States of America

Post Office Address:

X 1551 Kyle Court

X Riverside, CA 92506 - 6417

Full name of second joint
inventor, if any:

Inventor's signature:

Date:

Residence:

Citizenship:

Post Office Address:

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION